

# BookletChart<sup>TM</sup>



## Navassa Island

(NOAA Chart 26194)



A reduced scale NOAA nautical chart for small boaters. When possible, use the full size NOAA chart for navigation.

- ✓ Complete, reduced scale nautical chart
- ✓ Print at home for free
- ✓ Convenient size
- ✓ Up to date with all Notices to Mariners
- ✓ United States Coast Pilot excerpts
- ✓ Compiled by NOAA, the nation's chartmaker.



Home Edition (not for sale)



(673) **Lulu Bay**, a small indentation on the SW side, fronts the ruins of a former phosphate mining operation. Small craft can anchor here, but caution should be exercised due to the close proximity of the undercut rock and the frequent surge which has been observed to be as much as 7 to 10 feet. Vessels can anchor about 0.4 mile WSW of Lulu Bay with the light bearing about 080°; sand and coral bottom.

(674) Requests to visit Navassa Island should be made to the Commander, Seventh Coast Guard District, Miami, Fla.

(675) Navassa Island is also described in Pub. No. 147, Sailing Directions (Enroute), Caribbean Sea, published by the National Geospatial-Intelligence Agency.

### What are Nautical Charts?

Nautical charts are a fundamental tool of marine navigation. They show water depths, obstructions, buoys, other aids to navigation, and much more. The information is shown in a way that promotes safe and efficient navigation. Chart carriage is mandatory on the commercial ships that carry America's commerce. They are also used on every Navy and Coast Guard ship, fishing and passenger vessels, and are widely carried by recreational boaters.

### What is a BookletChart™?


This BookletChart is made to help recreational boaters locate themselves on the water. It has been reduced in scale for convenience, but otherwise contains all the information of the full-scale nautical chart. The bar scales have also been reduced, and are accurate when used to measure distances in this BookletChart. See the Note at the bottom of page 5 for the reduction in scale applied to this chart.

Whenever possible, use the official, full scale NOAA nautical chart for navigation. Nautical chart sales agents are listed on the Internet at <http://www.NauticalCharts.NOAA.gov>.

This BookletChart does NOT fulfill chart carriage requirements for regulated commercial vessels under Titles 33 and 44 of the Code of Federal Regulations.

### Notice to Mariners Correction Status

This BookletChart has been updated for chart corrections published in the U.S. Coast Guard Local Notice to Mariners, the National Geospatial Intelligence Agency Weekly Notice to Mariners, and, where applicable, the Canadian Coast Guard Notice to Mariners. Additional chart corrections have been made by NOAA in advance of their publication in a Notice to Mariners. The last Notices to Mariners applied to this chart are listed in the Note at the bottom of page 7. Coast Pilot excerpts are not being corrected.



### [Coast Pilot 5, Chapter 13 excerpts]

(672) **Navassa Island** (18°24'N., 75°01'W.), a United States possession claimed in 1857, formally annexed by presidential proclamation in January 1916, and under the jurisdiction of the U.S. Fish and Wildlife Service, is about 527 miles SE of Key West and about 30 miles W of Hispaniola. The island is about 1.9 miles long and 1.1 miles wide. The shoreline consists of steep, jagged, undercut rock formations that rise as much as 50 feet from the sea. The interior comprises

about 1.8 square miles of terrain sloping steeply upward to a lofty, undulating tableland with scattered trees and cactus. The island is uninhabited except for a few wild goats. There is no water on the island, and the terrain is extremely rugged. The island, reported visible on radar at 22 miles.

# Table of Selected Chart Notes

Corrected through NM Jul. 31/04  
Corrected through LNM Jul. 20/04

## HEIGHTS

Heights in meters above Mean High Water.

For Symbols and Abbreviations see Chart No. 1

## AUTHORITIES

Hydrography and topography by the National Ocean Service, Coast Survey, with additional data from the U.S. Coast Guard.

## AIDS TO NAVIGATION

Consult U.S. Coast Guard Light List for supplemental information concerning aids to navigation.

## POLLUTION REPORTS

Report all spills of oil and hazardous substances to the National Response Center via 1-800-424-8802 (toll free), or to the nearest U.S. Coast Guard facility if telephone communication is impossible (33 CFR 153).

## SUPPLEMENTAL INFORMATION

Consult U.S. Coast Pilot 5 for important supplemental information.

## HORIZONTAL DATUM

The horizontal reference datum of this chart is North American Datum of 1983 (NAD 83), which for charting purposes is considered equivalent to the World Geodetic System of 1984 (WGS 84). Geographic positions referred to the North American Datum of 1927 do not require conversion to NAD 83 for plotting on this chart.

## HURRICANES AND TROPICAL STORMS

Hurricanes, tropical storms and other major storms may cause considerable damage to marine structures, aids to navigation and moored vessels, resulting in submerged debris in unknown locations.

Charted soundings, channel depths and shoreline may not reflect actual conditions following these storms. Fixed aids to navigation may have been damaged or destroyed. Buoys may have been moved from their charted positions, damaged, sunk, extinguished or otherwise made inoperative. Mariners should not rely upon the position or operation of an aid to navigation. Wrecks and submerged obstructions may have been displaced from charted locations. Pipelines may have become uncovered or moved.

Mariners are urged to exercise extreme caution and are requested to report aids to navigation discrepancies and hazards to navigation to the nearest United States Coast Guard unit.

Additional information can be obtained at [nauticalcharts.noaa.gov](http://nauticalcharts.noaa.gov).

## SOURCE DIAGRAM

The outlined areas represent the limits of the most recent hydrographic survey information that has been evaluated for charting. Surveys have been banded in this diagram by date and type of survey. Channels maintained by the U.S. Army Corps of Engineers are periodically resurveyed and are not shown on this diagram. Refer to Chapter 1, [United States Coast Pilot](#).

## CAUTION

This chart has been corrected from the Notice to Mariners (NM) published weekly by the National Geospatial-Intelligence Agency and the Local Notice to Mariners (LNM) issued periodically by each U.S. Coast Guard district to the dates shown in the lower left hand corner.

This nautical chart has been designed to promote safe navigation. The National Ocean Service encourages users to submit corrections, additions, or comments for improving this chart to the Chief, Marine Chart Division (N/CS2), National Ocean Service, NOAA, Silver Spring, Maryland 20910-3282.

## PRINT-ON-DEMAND CHARTS

NOAA and its partner, OceanGrafix, offer this chart updated weekly by NOAA for Notices to Mariners and critical corrections. Charts are printed when ordered using Print-on-Demand technology. New Editions are available 5-8 weeks before their release as traditional NOAA charts. Ask your chart agent about Print-on-Demand charts or contact NOAA at 1-800-584-4683, <http://NauticalCharts.gov>, [help@NauticalCharts.gov](mailto:help@NauticalCharts.gov), or OceanGrafix at 1-877-56CHART, <http://OceanGrafix.com>, or [help@OceanGrafix.com](mailto:help@OceanGrafix.com).

26194

This nautical chart has been designed to promote safe navigation. The National Ocean Service encourages users to submit corrections, additions, or comments for improving this chart to the Chief, Marine Chart Division (N/CS2), National Ocean Service, NOAA, Silver Spring, Maryland 20910-3282.

PRINT-ON-DEMAND CHARTS  
NOAA and its partner, OceanGrafix, offer this chart updated weekly by NOAA for Notices to Mariners and critical corrections. Charts are printed when ordered using Print-on-Demand technology. New Editions are available 5-8 weeks before their release as traditional NOAA charts. Ask your chart agent about Print-on-Demand charts or contact NOAA at 1-800-584-6663, <http://NauticalCharts.gov>, [help@NauticalCharts.gov](mailto:help@NauticalCharts.gov), or OceanGrafix at 1-877-56CHART, <http://OceanGrafix.com>, or [help@OceanGrafix.com](mailto:help@OceanGrafix.com).

4



Printed at reduced scale.

SCALE 1:15,000  
Nautical Miles

See Note on page 5.



75° 05' W

04'

03'

27'

26'



CARIBBEAN SEA

WEST INDIES

# NAVASSA ISLAND

Mercator Projection  
Scale 1:15,000 at Lat. 18°24'30"  
North American Datum of 1983  
(World Geodetic System 1984)

## HORIZONTAL DATUM

The horizontal reference datum of this chart is North American Datum of 1983 (NAD 83), which for charting purposes is considered equivalent to the World Geodetic System of 1984 (WGS 84). Geographic positions referred to the North American Datum of 1927 do not require conversion to NAD 83 for plotting on this chart.

## DEPTHS IN METERS AT LOW WATER DATUM

Additional information can be obtained at [nauticalcharts.noaa.gov](http://nauticalcharts.noaa.gov).

## HEIGHTS

Heights in meters above Mean High Water.

## AUTHORITIES

Hydrography and topography by the National Ocean Service, Coast Survey, with additional data from the U.S. Coast Guard.

For Symbols and Abbreviations see Chart No. 1

## CAUTION

The current generally sets to the northwest.  
The wind seldom blows from the westward.

## AIDS TO NAVIGATION

Consult U.S. Coast Guard Light List for supplemental information concerning aids to navigation.

## POLLUTION REPORTS

Report all spills of oil and hazardous substances to the National Response Center via 1-800-424-8802 (toll free), or to the nearest U.S. Coast Guard facility if telephone communication is impossible (33 CFR 153).

## SUPPLEMENTAL INFORMATION

Consult U.S. Coast Pilot 5 for important supplemental information.

## NAVASSA ISLAND

Navassa Island is a National Wildlife Refuge administered by the U.S. Fish and Wildlife Service. Landing or entry on the island is prohibited except by permission from the Regulatory Manager (phone 787-351-7258).

## HURRICANES AND TROPICAL STORMS

Hurricanes, tropical storms and other major storms may cause considerable damage to marine structures, aids to navigation and moored vessels, resulting in submerged debris in unknown locations.

Charted soundings, channel depths and shoreline may not reflect actual conditions following these storms. Fixed aids to navigation may have been damaged or destroyed. Buoys may have been moved from their charted positions, damaged, sunk, extinguished or otherwise made inoperative. Mariners should not rely upon the position or operation of an aid to navigation. Wrecks and submerged obstructions may have been displaced from charted locations. Pipelines may have become uncovered or moved.

Mariners are urged to exercise extreme caution and are requested to report aids to navigation discrepancies and hazards to navigation to the nearest United States Coast Guard unit.

# JAMAICA CHANNEL



Joins page 8

1341

1324

1298

1241

1118

1020

951

878

825

776

723


688

622

576


520

478




This BookletChart was reduced to 70% of the original chart scale.  
 The new scale is 1:21429. Barscales have also been reduced and  
 are accurate when used to measure distances in this BookletChart.






SCALE 1:15,000  
Nautical Miles



DEPTHS IN METERS



This BookletChart has been updated with: Coast Guard Local Notice To Mariners: 0710 2/16/2010,  
NGA Weekly Notice to Mariners: 0910 2/27/2010,  
Canadian Coast Guard Notice to Mariners: n/a .

7

Joins page 4

# JAMAICA CHANNEL

18°  
25'

24'

Joins page 12

8



Printed at reduced scale.

SCALE 1:15,000  
Nautical Miles

See Note on page 5.





Joins page 5

Joins page 10


# NAVASSA ISLAND

LULU BAY

South Point

Joins page 13

Joins page 6



10




Printed at reduced scale.

SCALE 1:15,000  
Nautical Miles


See Note on page 5.



Joins page 7



Joins page 15



12





Printed at reduced scale.

SCALE 1:15,000  
Nautical Miles

See Note on page 5.

500 0 500 1000 1500  
Yards

Joins page 9



DEPTHS IN METERS

Published at Washington, D.C.  
U.S. DEPARTMENT OF COMMERCE  
NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION  
NATIONAL OCEAN SERVICE  
COAST SURVEY

**LOGARITHMIC SPEED SCALE**

To find **SPEED**, place one point of dividers on distance run (in any unit) and the other on minutes run. Without changing divider spread, place right point on 60 and left point will then indicate speed in units per hour. Example: with 4.0 nautical miles run in 15 minutes, the speed is 16.0 knots.





737.9mm x 1056.7mm



ED. NO. 5

NSN 7642014012148  
INGA REFERENCE NO. 26XHA26194

## EMERGENCY INFORMATION

### VHF Marine Radio channels for use on the waterways:

**Channel 6** – Inter-ship safety communications.

**Channel 9** – Communications between boats and ship-to-coast.

**Channel 13** – Navigation purposes at bridges, locks, and harbors.

**Channel 16 – Emergency, distress and safety calls** to Coast Guard and others, and to initiate calls to other vessels. Contact the other vessel, agree to another channel, and then switch.

**Channel 22A** – Calls between the Coast Guard and the public. Severe weather warnings, hazards to navigation and safety warnings are broadcast here.

**Channels 68, 69, 71, 72 & 78A** – Recreational boat channels.

### Distress Call Procedures

1. Make sure radio is on.
2. Select Channel 16.
3. Press/Hold the transmit button.
4. Clearly say: "MAYDAY, MAYDAY, MAYDAY."
5. Also give: Vessel Name and/or Description; Position and/or Location; Nature of Emergency; Number of People on Board.
6. Release transmit button.
7. Wait for 10 seconds – If no response Repeat MAYDAY Call.

**HAVE ALL PERSONS PUT ON LIFE JACKETS !!**

**Mobile Phones** – Call 911 for water rescue.

**Coast Guard Puerto Rico** – (787) 289-2041

**Coast Guard Virgin Islands** – (284) 494-4357

**NOAA Weather Radio** – 162.400 MHz, 162.425 MHz, 162.450 MHz, 162.475 MHz, 162.500 MHz, 162.525 MHz, 162.550 MHz.

**Getting and Giving Help** – Signal other boaters using visual distress signals (flares, orange flag, lights, arm signals); whistles; horns; and on your VHF radio. You are required by law to help boaters in trouble. Respond to distress signals, but do not endanger yourself.



## NOAA CHARTING PUBLICATIONS

**Official NOAA Nautical Charts** – NOAA surveys and charts the national and territorial waters of the U.S, including the Great Lakes. We produce over 1,000 traditional nautical charts covering 3.4 million square nautical miles. Carriage of official NOAA charts is mandatory on the commercial ships that carry our commerce. They are used on every Navy and Coast Guard ship, fishing and passenger vessels, and are widely carried by recreational boaters. NOAA charts are available from official chart agents listed at: [www.NauticalCharts.NOAA.gov](http://www.NauticalCharts.NOAA.gov).

**Official Print-on-Demand Nautical Charts** – These full-scale NOAA charts are updated weekly by NOAA for all Notice to Mariner corrections. They have additional information added in the margin to supplement the chart. Print-on-Demand charts meet all federal chart carriage regulations for charts and updating. Produced under a public/private partnership between NOAA and OceanGrafix, LLC, suppliers of these premium charts are listed at [www.OceanGrafix.com](http://www.OceanGrafix.com).

**Official Electronic Navigational Charts (NOAA ENC<sup>®</sup>)** – ENCs are digital files of each chart's features and their attributes for use in computer-based navigation systems. ENCs comply with standards of the International Hydrographic Organization. ENCs and their updates are available for free from NOAA at [www.NauticalCharts.NOAA.gov](http://www.NauticalCharts.NOAA.gov).

**Official Raster Navigational Charts (NOAA RNC<sup>™</sup>)** – RNCs are geo-referenced digital pictures of NOAA's charts that are suitable for use in computer-based navigation systems. RNCs comply with standards of the International Hydrographic Organization. RNCs and their updates are available for free from NOAA at [www.NauticalCharts.NOAA.gov](http://www.NauticalCharts.NOAA.gov).

**Official BookletCharts<sup>™</sup>** – BookletCharts<sup>™</sup> are reduced scale NOAA charts organized in page-sized pieces. The "Home Edition" can be downloaded from NOAA for free and printed. The Internet address is [www.NauticalCharts.gov/bookletcharts](http://www.NauticalCharts.gov/bookletcharts).

**Official PocketCharts<sup>™</sup>** – PocketCharts<sup>™</sup> are for beginning recreational boaters to use for planning and locating, but not for real navigation. Measuring a convenient 13" by 19", they have a 1/3 scale chart on one side, and safety, boating, and educational information on the reverse. They can be purchased at retail outlets and on the Internet.

**Official U.S. Coast Pilot<sup>®</sup>** – The Coast Pilots are 9 text volumes containing information important to navigators such as channel descriptions, port facilities, anchorages, bridge and cable clearances, currents, prominent features, weather, dangers, and Federal Regulations. They supplement the charts and are available from NOAA chart agents or may be downloaded for free at [www.NauticalCharts.NOAA.gov](http://www.NauticalCharts.NOAA.gov).

**Official On-Line Chart Viewer** – All NOAA nautical charts are viewable here on-line using any Internet browser. Each chart is up-to-date with the most recent Notices to Mariners. Use these on-line charts as a ready reference or planning tool. The Internet address is [www.NauticalCharts.gov/viewer](http://www.NauticalCharts.gov/viewer).

**Official Nautical Chart Catalogs** – Large format, regional catalogs are available for free from official chart agents. Page size, state catalogs are posted on the Internet and can be printed at home for free. Go to <http://NauticalCharts.NOAA.gov/mcd/ccatalogs.htm>.

**Internet Sites:** [www.NauticalCharts.NOAA.gov](http://www.NauticalCharts.NOAA.gov), [www.NOAA.gov](http://www.NOAA.gov), [www.TidesandCurrents.NOAA.gov](http://www.TidesandCurrents.NOAA.gov), [www.NOS.NOAA.gov](http://www.NOS.NOAA.gov).